
MITHRAS



Bipolar micro-coagulation forceps



FOCUS ON BETTER SOLUTIONS

max
300
Vp

137

95

1

MITHRAS Bipolare Mikro-Koagulationszange
MITHRAS bipolar micro-coagulation forceps

Griff, bayonett
Handle, bayonet

Anschluß
Plug



82460150



Schaft, bayonett
Shaft, bayonet



82460206

Ringgriff
Ring handle

Anschluß
Plug



82460306



Schaft, Ringgriff
Shaft, Ring handle



82460308

Absaugsonde
Suction probe



82460310



MITHRAS

max
300
Vp

137

95

1

Schere, gebogen
Scissors, curved



82460326

Fasszange, gefenestert
Grasping forceps, fenestrated



82460332

Löffelzange Ø 2 mm, gebogen
Spoon forceps Ø 2 mm, curved



82460336

Löffelzange Ø 2,7 mm, gebogen
Spoon forceps Ø 2,7 mm, curved



82460328

Dissektor Maryland, gebogen
Dissector Maryland, curved




82460334

Dissektor, gewinkelt
Dissector, angled



82460338

Flamingo Maul, vertikal 15°
Flamingo jaw, vertical 15°



15° Ø 0,7 mm 82460340

15° Ø 1,2 mm 82460341

15° Ø 2,0 mm 82460342

Flamingo Maul, vertikal 30°
Flamingo jaw, vertical 30°



30° Ø 0,7 mm 82460345

30° Ø 1,2 mm 82460346

30° Ø 2,0 mm 82460347

Flamingo Maul, vertikal 45°
Flamingo jaw, vertical 45°



45° Ø 0,7 mm 82460312

45° Ø 1,2 mm 82460316

45° Ø 2,0 mm 82460318

2-Banana*

3m 80100081
5m 80100085

U20

4m 80100266

Valleylab

3m 80100084
5m 80100088

Erbe

3m 80100082
5m 80100086

Martin, Berchtold, Aesculap

3m 80100083
5m 80100087

Rundstecker Mithras
Round plug Mithras



*Entspricht nicht EU-Bestimmungen / Non-compliant with EU standards



Günter Bissinger
Medizintechnik GmbH
Hans-Theisen-Str.1
79331 Teningen/Germany
—
T +49 7641 9 14 33 0
F +49 7641 9 14 33 33
info@bissinger.com
www.bissinger.com

Bissinger – bessere Lösungen im Blick
Bipolare und monopolare Instrumente
Zubehör für die Elektrochirurgie
Chirurgische Instrumente
Entwicklung von Instrumenten auf
Kundenwunsch
Service und Reparaturen

Bissinger – Focus on better solutions
Bipolar and monopolar instruments
Accessories for electrosurgery
Surgical instruments
Design and development of instruments
to customer specifications
Service and repair